

This datasheet offers general information. Please contact your local ECO representative for country-specific details.



ECOLINE POUR ON

Presentation

Ecoline Pour-On is a ready-to-use pour-on containing flumethrin 1% w/v.

Indications

- Control of ticks on cattle, sheep, ostriches and game
- Control of Tsetse fly worry on cattle
- Control of feather mite on ostriches

Dosage and administration

USE ONLY AS DIRECTED. SHAKE WELL BEFORE USE.

Treat at regular intervals according to tick challenge.

The longer the product is regularly applied, the more the tick population is reduced. It may then become possible to treat at extended intervals.

The basic dosage is 1 ml per 10 kg liveweight (refer to dosage table below).

Cattle

Apply the required dose in two lines from the base of the skull along both sides of the spine up to the tail root. For Tsetse fly treat every 14 days or according to challenge.

Game

Apply the required dosage with a suitable applicator. If self-medicating devices are used, it is important that the device only remains activated for as long as it takes to deliver one dosage to the animals in a particular paddock / camp. The device should not be used for continuous, low-level treatment.

Dosage table: Cattle and Game.

Liveweight (kg)	Dosage	No. of doses per Litre
Up to 100 kg	1 ml per 10 kg	
100 kg	10 ml	100
200 kg	20 ml	50
300 kg	30 ml	33
400 kg	40 ml	25
500 kg and over	50 ml	20

This datasheet offers general information. Please contact your local ECO representative for country-specific details.

Sheep

Apply the required dose in 4 parts to the bare skin areas of the groin and axillae. In the case of sheep infested with *Ixodes rubicundus* Ecoline must be applied early in the season when these ticks are first observed (either on the grazing or on the animals).

Two or three treatments, 7 to 10 days apart at this time should protect the sheep depending on the severity of the tick challenge.

Ostriches

Apply the required dosage along the backline.

Dosage table: Sheep and Ostriches.

Liveweight (kg)	Dosage	No. of doses per Litre
20 kg	2 ml	500
30 kg	3 ml	333
40 kg	4 ml	250
50 kg	5 ml	200
60 kg	6 ml	166

Applicator

Squeeze bottle with dose meter: squeeze required volume into dose meter, or use a drench gun.

Contra-indications, warnings etc.

Withdrawal period

Milk: nil

Meat: 7 days

Operator warnings

- Do not smoke, eat or drink while handling the product.
- Wash hands and face thoroughly after use.
- Avoid contact with pour-on and wash immediately and thoroughly with soap and hot water after accidental contamination.
- Remove and wash all contaminated clothing.
- Skin reactions may occur in a small percentage of cases. If this happens, wash the affected animals with soap and water.

Pharmaceutical precautions

Protect from extremes of heat, cold and from dampness.

Tightly reseal the container if all contents have not been used.

General precautions

Keep out of reach and sight of children. For animal treatment only.

Toxic to bees, fish and aquatic life. Do not contaminate dams, rivers or other water sources.

This datasheet offers general information. Please contact your local ECO representative for country-specific details.

Container disposal

- Dispose of any waste and used containers in accordance with local waste disposal regulations.
- Destroy empty containers and do not re-use for any other purpose.

Package quantities

Ecoline Pour-on is packaged in 1 litre squeeze bottle with applicator.

Further information

Although the colour of the product may vary, it will not influence the efficacy or residual period.

ECO Animal Health
PO Box 47542
London N14 6WS
United Kingdom

Tel: +44 (0)208 447 8899
Fax: +44 (0)208 447 9292
Website: www.ecoanimalhealth.com